

Panel Mount USB C to USB 3.0 A Female to Male Extension Cable



Item no. FSP1080

Specification:

· Connector 1: USB Type-C female with screw locking

· Connector 2: USB 3.0 A male

Gold plated contact, Nickel plated shellNut and Screw type: M3 nickel plated

Hole Pitch: 17±0.5mm

Cable Conductor: Tinned Copper
Wire Gauge: 30/30/24AWG
Outer Diameter: 4.5±0.2mm
Shielding: Aluminum foil, Braiding
Housing: Injection molding

· Jacket: PVC

Support super speed USB 3.0 devices and the transfer rate reaches to 5 Gbps

Backward compliant with high-speed USB 2.0 (480Mbps), full-speed USB 1.1 (12 Mbps), and low speed USB 1.0 (1.5 Mbps)

· Compliance: RoHS, REACH

Description:

FARSINCE High Quality USB C Female to USB 3.0 A Male Panel Mount Cable is the perfect solution for combining USB Type-C and USB Type-A cables to achieve connectivity through a panel. This allows the user to provide connectivity from a source that is contained within a secure location. Panle Mount USB C to USB 3.0 A Female to Male Extension Cable is short and designed for minimal signal loss.

It provides a transfer rate up to 5 Gbps depending upon the peripheral's USB version, and easily attaches to any USB device. Flexible PVC jacket, Foil and braid shielding, and the twisted pair construction make a better performance.

Order Information:

• FSP1080: USB C female to USB 3.0 A male Panel Mount Extension Cable, 0.3m, 30AWG, OD4.5 \pm 0.2mm